



NYLON SERIES

Anticorrosive aluminium inner core with antibacterial Nylon coating.

Made of aluminium core with Stainless steel wall brackets and 4mm think Nylon coating which gives the bar high resistance and durability. This is essential for the good maintenance of the external and internal parts of the grab bar.

The Nylon cothing is produces from powder format polymers enriched with highly effective bactericidal additives, added during the forming process.

Proven bactericidal effectiveness against the more thretening bacteria in hospitals and medical centres such as: Escherichia coli, Salmonella enterities, Staphylococusaureus and Listeria monocytogenos. The 99.9% reduction within the following 24 hours, being reduced to less than the 5% at the first 2 hours.


There is a full range counting with all the typologies that you may need: straight bars. angled bars, swing-up bars, reinforced, with floor supports, for shower, shower seats, handles, etc.

Non-conductive material: no earth grounding means required.

Confortable touch non-slip

Fixing materials included.

The bacteriidal properties and the soft and warm finish make the new NOFER Nylon Seriesthe best choice for the healthcare and hospital environment.







Material

Antibacterial Nylon coated Aluminium. AISI 304 Stainless steel wall supports with Nylon flange covers

Finish

WHITE (.W)


Bar diameter 34 mm

Straight grab bars

Straight grab bars made of Aluminium with antibacterial Nylon coating. Stainless steel fixing points with Nylon flange covers.

Finish

White



Swing-up grab bar

Antibacterial Nylon coated steel swing-up grab bar. AISI 304 Stainless steel wall support with antibacterial Nylon flange cover.

Finish

White







15051.60.NBA

Dimensions 600 mm

15051.80.NBA

Dimensions 800 mm

15051.NBA

Nylon toilet paper holder for swing-up grab bar



Angled grab bars



Material

Antibacterial Nylon coated Aluminium. AISI 304 Stainless steel wall supports with Nylon flange covers

Finish

WHITE (.W)

Bar diameter

34 mm

15158.NBA

Dimensions 700 x 400 mm



15159.NBA

Dimensions 700 x 400 mm



15060.NBA

Dimensions 600 x 600 mm



15052.NBA

Dimensions 700 x 700 mm



15158.120.70.NBA

Dimensions 1200 x 700 mm



15159.120.70.NBA

Dimensions 1200 x 700 mm



Dimensions 800 x 700 x 700 mm





15209.NBA

Nylon shower head support for bars Ø 34 mm





Material

Antibacterial Nylon coated Aluminium. AISI 304 Stainless steel wall supports with Nylon flange covers

Finish

WHITE (.W)

Bar diameter

34 mm







15206.NBA

Swing-up grab bar with floor adjustable foot Dimensions Length 800 mm

15064.NBA

Swing-up grab bar with floor anchoring Dimensionstotales 793 x 150 x 860 mm

Altura de apoyo **750 mm**

15203.NBA

Wall-floor grab bar with double floor support. Reversible position.

Dimensions

733 x 102 x 733 mm









15047.60.NBA

Grab bar with three wall fixing points. Reversible position.

Dimensions

Length 600 mm

15047.80.NBA

Grab bar with three wall fixing points. Reversible position.

Dimensions

Length 800 mm

15070.NBA

Handle Dimensions Length 120 mm

15071.NBA

Single hook Dimensions 95 x 85 x 102 mm

Foldable shower seats



Material Antibacterial Polypropylene. AISI 304 stainless steel wall fixations



Material AISI 304 Stainless steel Finish SATIN (.S) POLISH (.B)

WHITE (.W)



Material Aluminum polypropylene Finish WHITE (.W)



15042.MOV.NBA

Removable folding shower seat with backrest

Dimensions Finish 480 x 420 x 480 mm WHITE (.W)



15065.S

Phenolic seat with wall support Dimensions 388 x 456 x 420 mm



15035.W

Seat Aluminum and polypropylene with floor support Dimensions

480 x 360 x 407 mm



01305.W

Maximum hygiene hand dryer

DIMENSIONS CASING

ABS 617 x 300 x 195 mm

POWER WEIGHT 1760 W 9,55 Kg

OPERATION

Automatic start when the user inserts hands in the drying area.

Ultra-fast drying system by high speed air currents. Mode of use: insert hands into the drying area, moving them up and down.

OPTIONALLY AVAILABLE

HEPA filter, ZeroSmell, ZeroSmell gel CK1 and Ion Shield
























Hand dryer with electronic sensor

POWER WEIGHT 800 W 4,9 Kg

DIMENSIONS

323 x 253 x 152 mm







01851.S

CASING

AISI 304 stainless steel. Thickness 1,2 mm CASING FINISH SATIN

01851.W

CASING

Steel. Thickness 1,2 mm CASING FINISH WHITE





Wall mounted horizontal baby changing unit. Permanent antimicrobial protection MATERIAL

High density polyethylene

DIMENSIONS

587 x 895 x 529 mm (open) 587 x 895 x 113 mm (closed)



09211


Wall mounted baby chair. Permanent antimicrobial protection

MATERIAL

High density polyethylene

DIMENSIONS

476 x 311 x 317 mm (open) 476 x 311 x 143 mm (closed)



Sanieuro Sdn. Bhd.

Lot B-LG-1, Jalan 9, Connaught Avenue, Taman Bukit Cheras, 56000 Kuala Lumpur, Malaysia Whatsapp: +6012 388 3707 Office: +6039108 2199 Fax: +603 9108 3199 Email: sales@sanieuro.com

Sanieuro Thai Co., Ltd.

343/25-26 Thanon Klong Lam-Jiag Nuanchan, Buengkum Bangkok 10230, Thailand.

Tel: +66(0) 2105 3401 Fax: +66(0) 2105 3400 Email: sales.th@sanieuro.com Web: www.sanieuro.com/th

Novatec Sanitaryware Lanka (Pvt) Ltd.

No 9, Chilaw Road, Dalupotha Negombo Showroom: 67, Colombo Road, Negombo, Sri Lanka

Phone: +9431 222 3535 /+9431 493 6847 Call: +9477 387 6700 / +9477 103 8899 Email: sales.lk@sanieuro.com sales.novateclanka@gmail.com

Web: www.sanieuro.com/lk

Sanieuro Myanmar Co., Ltd.

No.12, Room 7, Parami Road, Chaw Dwin Gone, Ma Yan Gone Township, 11061 Yangon, Myanmar,

Phone: +9594 5033 5111 Office: +0926 748 1769 Email: sales.mm@sanieuro.com Web: www.sanieuro.com/mm

Business group:

Web: www.sanieuro.com











